



# CERTIFICATE OF CONFORMITY

This is to certify that  
**DuPont™  
Flashing Tape**



## Product Description

DuPont™ Flashing Tape is a Polypropylene film with a Butyl rubber (black) Adhesive. The release liner is 1-piece heavy-duty silicon zed paper.

**Size:** 20 Mil (507 Microns) thick in either 10cm or 15cm wide X 30m roll

## Product Purpose or Use

To be used as flashing around windows and door jams as a secondary weather resistant barrier. May also be used at joinery heads to seal flashing up-stands to the wall underlay

## Certificate Holder

### DuPont (Australia) Pty Ltd

ABN: 59 000 716 469

Level 3,7 Eden Park Drive  
Macquarie Park NSW  
Australia 2113

Ph: 02 9923 6148

W: [www.dupont.com.au](http://www.dupont.com.au)



Tyvek.

## Certification Body

### CertMark International Pty Ltd

T/A CertMark New Zealand

ABN: 80 111 217 568

JAS-ANZ Accreditation No. Z4450210AK

PO Box 321 Tuakau 2121

+64 (09) 951 8246

[www.CertMark.org](http://www.CertMark.org)

## Complies with the New Zealand Building Code:

1. B2.3.1 (b) and B2.3.2.
2. F2.3.1.

If designed, installed and maintained in accordance with the purpose, use, scope and conditions of this certificate, DuPont Flashing Tape will contribute to compliance with:

3. E2.3.2.

## Subject to the following Conditions & Limitations:

- a. The certificate holder must maintain compliance with the conditions set out in section 15 of the building (Product Certification) Regulations 2008
- b. Ensure all surfaces to which DuPont™ Flashing Tape is applied are clean, dry and free of dust.
- c. When applying DuPont™ Flashing Tape to LOSP treated timber, ensure the solvent has been allowed to flash off prior to installing the product. It is suggested that a minimum of one (1) week is allowed for.
- d. DuPont™ Flashing Tape when used, installed and maintained in accordance with the requirements outlined in DuPont datasheet (Version 1, 2014) contributes to the requirements of Acceptable Solution E2/AS1, Clause 9.1.5 (b) (i).

  
**John Thorpe**  
CertMark International Pty Ltd

12/11/2014

Date of Issue

CMA-CM40128 (Rev1)

Certificate Number

Revised February 2016

- This certificate is issued by an independent certification body accredited by the product certification accreditation body appointed by the Chief Executive of the Ministry of Business, Innovation & Employment (MBIE) under the Building Act 2004. MBIE does not in any way warrant, guarantee, or represent that the building method or product the subject of this certificate conforms to the New Zealand Building Code, nor accept any liability arising out of the use of the building method or product. MBIE disclaims, to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages, and costs arising as a result of the use of the building method(s) or product(s) referred to in this certificate
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the MBIE website, [www.mbie.govt.nz](http://www.mbie.govt.nz)
- This certificate may only be reproduced in its entirety.

